

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "*or at least equivalent.*" References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

Item No.	Specification	Statement of Compliance
		<p><i>[Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>
1	<p>BRANDED DESKTOP COMPUTER</p> <ul style="list-style-type: none"> - Display: 24- inch 1920x1080 resolution - Processor: Intel Core i7 13th Gen (16cores, 24 threads, up to 5.2 Ghz turbo boost) - Memory: 16GB DDR4 - Storage: 512 M.2 - Graphics: Dedicated 4GB NVIDIA DDR6 - Network: 802.11 ax/ac/a/bg/n, Lan 10/100/100, Wifi 6 and Bluetooth 5.2 - Operating System: Windows 11 - Mouse: Wired mouse - Keyboard: Wired Keyboard - Webcam: 1080p Branded webcam - Audio: Branded wired Headset with noise cancelling - AVR: Automatic Voltage Regulator AVR Power Supply Surge Protection 1000VA/500W 	



2	<p>UNINTERRUPTIBLE POWER SUPPLY (UPS)</p> <ul style="list-style-type: none"> - UPS Floating - Charging Voltage: 13.5-13.8V - Type: 12V/7Ah x1 - Typical battery runtime - IT Load (100W): 18 min - Recharge time: 4-6 hours recover to 90% capacity - 50% load: 5 min - 75% load: 1.5 min - On/Off switch: Yes - Indicator: LED - Communication-USB: No - Communication-RS232: No - RJ11 protection: No - Rating (VA/W): 700VA/360W - Format: Tower - Input voltage range: 140-300 VAC - Frequency range: 60/50 Hz (Auto sensing) - Surge protection - Generator compatible - Mute by power key - Circuit breaker - Output voltage: 230 VAC - Output voltage reg. (Battery mode): ±10% - Battery wave form: Stepped sine wave - Protection: PCBA current sensor (F/W protection) - Output backup socket: DIN model: (2) Schuko outlets NEMA model: (4) NEMA Universal outlets UNI model: (2) Universal outlets - Transfer time: 2-6ms typical, 10ms max 	
***** Nothing Follows*****		

Additional Requirements:

The technical specification that shall be submitted by the Bidder shall include, among others:

- a. *product specifications as supported by brochures or catalogues for Item Nos. 1 & 2;*
- b. *bidder's certification that it has after-sales support in Region X for Item No. 1;*
- c. *bidder's certification for two (2) years warranty for Item No. 1;*
- d. *certification of Service Center within the Region X for Item No. 1; and*
- e. *certification from manufacturer/distributor that bidder is an authorized reseller for Item No. 1.*

I hereby verify to comply with all the above requirements.

Signature over printed name of the authorized representative

Company name

Date

