# Section VII. Technical Specifications

### **Notes for Preparing the Technical Specifications**

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (e.g. production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

#### Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.



**Technical Specifications** 

Item No.	Specification	Statement of Compliance
110.		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
1	<ul> <li>PICK &amp; PLACE STATION</li> <li>Aluminum profile plate, 700x350mm with cable guide</li> <li>Conveyor module, 350 x 40 mm, DC</li> <li>Pick&amp;Place module, with vacuum technology</li> <li>Start-up valve with filter control valve</li> <li>Cable holder with hook-and-loop fastener (pack of 10)</li> <li>C-Interface</li> <li>Quick-Fix clamping adapter</li> <li>MPS trolley, (700 x 350), with height adjustment</li> <li>Control console, SysLink</li> <li>PA workpiece set</li> <li>EduTrainerUniversal CECC-LK (MPS)</li> <li>Sys-link-cable, length 2.5 m,</li> <li>Analogue cable, parallel, 15-pin SUB-D</li> <li>Safety laboratory cable, 3m</li> <li>IEC power cable 90°</li> <li>Simulation box</li> </ul>	



	<ul> <li>Must be compatible with the existing unit</li> <li>With one (1) day onsite training to eight (8)</li> </ul>	
	EMT Faculty Members at USTP- Villanueva Campus	
2	SORTING STATION  Aluminum profile plate, 700 x 350 mm, with cable guide  Conveyor module, 350 x 40 mm, DC  Detection module  Slide module  Sorting gate/separator module, electrical  Stopper, simple, with valve  Start-up valve with filter control valve  Cable holder with hook-and-loop fastener (pack of 10)  C-Interface  Quick-Fix clamping adapter  MPS trolley, 700 x 350  Control console  PA workpiece set  EduTrainerUniversal (MPS)  Sys-link-cable, length 2.5 m, 3.16 1 529141 Analog cable, parallel, 2 m  Safety laboratory cable, 3 m  IEC power cable 90°  simulation box  Must be compatible with the existing unit  With one (1) day onsite training to eight (8) EMT Faculty Members at USTP-Villanueva Campus	
3	<ul> <li>MEASURING STATION</li> <li>Aluminum profile plate, 700 x 350 mm with cable guide</li> <li>Conveyor module, 350 x 40 mm, DC</li> <li>Rotary/lifting module</li> <li>Slide module</li> <li>Measuring table</li> <li>Stopper, simple, with valve</li> <li>Start-up valve with filter control valve</li> <li>Cable holder with hook-and-loop fastener (pack of 10)</li> <li>C-Interface</li> <li>Quick-Fix clamping adapter</li> <li>MPS trolley (700 x 350), with height adjustment</li> <li>Control console</li> <li>Workpiece Set 'Cylindrical Bodies"</li> <li>EduTrainerUniversal (MPS)</li> </ul>	



- I/O data cable with SysLink connectors (IEEE 488), 2.5 m
- Analog cable, parallel, 2m
- Safety laboratory cable, 3m
- IEC power cable 90°
- Analog cable, crossover, 2m
- simulation box
- Must be compatible with the existing unit
- With one (1) day onsite training to eight (8)
   EMT Faculty Members at USTP-Villanueva Campus

# ADVANCE PROGRAMMABLE LOGIC CONTROLLER AND HUMAN MACHINE INTERFACE TRAINING SYSTEM

- The system comprises industrial components of the latest technology: a S7-200 controller, a 7" widescreen TP700 Comfort Panel with PROFINET, MPI/PROFIBUS DP, and USB interfaces, and industrial Ethernet switch.
- 16 digital inputs, including 6 high-speed counters, and 4 universal analog inputs) and outputs (14 digital outputs, including 4 high-speed outputs, and 2 configurable analog outputs) are accessible from the front panel using 2-mm test leads.
- Controls and lights can also be connected.
- Eight switches allow the addition of electrical faults during troubleshooting exercises.
- SysLink interface allows connection to Modular Production System (MPS) stations.
- Perpetual license of the best compatible Engineering Software
- PLC Applications series is divided into seven systems, each system covering a specific topic related to PLC controls: -Traffic Lights -Electro-Pneumatics -Electro - Mechanical -DC Motor - Electro-Mechanical - Stepper Motor - Wind Turbine - Level Process Control - Bottling Process
- Must be compatible with the existing unit
- With one (1) day onsite training to eight (8)
   EMT Faculty Members at USTP-Villanueva Campus

## SUPERVISORY CONTROL AND DATA **ACQUISITION SOFTWARE (6 USERS CLASSROOM LICENSE)**

- SCADA system WinCC V7.5 SP2 with options
- 6x WinCC System Software, SCADA power tags
- Runtime/configuration software
- 6x WinCC/User Archives

4 . 1 4

5

- 6x WinCC/Connectivity Pack
- 6x WinCC/Web Navigator, 3 client Licenses (countable)
- 6x WinCC/DataMonitor, 1 client licenses (countable)
- 6x WinCC/Cloud Connect V7.5 SP2
- Must be compatible with the existing unit
- With one (1) day onsite training to eight (8) Members Faculty at Villanueva Campus

\*\*\*\*\* Nothing Follows\*\*\*\*

### Additional Requirements:

The technical specification that shall be submitted by the Bidder shall include, among others:

- a. product specifications as supported by brochures or catalogues for Item Nos. 1, 2, 3, 4 & 5;
- b. bidder's certification that it has after-sales support for Item Nos. 1, 2, 3, 4 & 5;
- c. bidder's certification for one (1) year warranty for Item Nos. 1, 2, 3, 4 and 5;
- d. certification from manufacturer/distributor that bidder is authorized dealer for Item Nos. 1, 2, 3, 4 & 5; and
- e. certification of Service Center for Item Nos. 1, 2, 3, 4 & 5.

I hereby verify to comply with all the above requirements.

Signature ov	er printed name of the authorized representative
Company na	me
Date	



