



University of Science and Technology of Southern Philippines

Alubijid | Cagayan de Oro | Claveria | Jasaan | Oroquieta | Panaon

BID FORM

NAME OF THE PROJECT : **Re-bidding of the Proposed Procurement for the Supply, Delivery, Installation and Commissioning of Elevator for USTP-CDO Learning Resource Center (LRC) Building**

APPROVED BUDGET OF CONTRACT : **FIVE MILLION PESOS AND 00/100 (P5,000,000.00) ONLY**

BRIEF DESCRIPTION : **Supply, Delivery, Installation and Commissioning of Elevator for USTP-CDO Learning Resource Center (LRC) Building**

SOURCE OF FUND : **INCOME CY 2020**

CONTRACT DURATION : **One Hundred Twenty (120) Calendar Days**

ITEM NO.	DESCRIPTION/SPECIFICATIONS	QTY	UNIT	USTP APPROVED UNIT PRICE	UNIT PRICE	AMOUNT
1	<p>Passenger Elevator</p> <p>Equipment: 10 Passenger Elevator</p> <p>Lift Group: A</p> <p>Lift No: PE 1-2</p> <p>Type: Passenger</p> <p>Quantity: 2</p> <p>Fireman's Lift: Yes</p> <p>Rated Capacity: 400 kg (5 persons) per car</p> <p>Speed(m/s): 1.0mps (60 meter per minute)</p> <p>No. of Stops: 4</p> <p>No. of Openings: 4 (all front)</p> <p>Floor Designation: G, 2, 3, 4, 5</p> <p>Travel Height (m): 10.5 (+3 meters)</p> <p>Total Shaft Size per Lift(WxD): 1900mm x 1495, minimum requirement</p> <p>Over Travel (mm): 4000mm, minimum requirement</p> <p>Pit Depth (mm): 1300mm, minimum requirement</p> <p>Drive System: Permanent Magnet Gearless</p> <p>Control System: VVVF MX-GC Microprocessor</p> <p>Operation: 1ks (Collective-Selective)</p> <p>Power Supply (Main, Lighting): 230 VAC, 3HP, 60HZ, 220 VAC, 1HP, 60HZ</p> <p>Buffer: Rubber</p> <p>Clear Car Size (W x D X H): 1000mm x 1100mm x 2239mm</p> <p>Door type: 2 Panel - Telescopic left / right</p> <p>Door Size (W x H): 800mm x 2100mm</p> <p>Door Panel: Stainless Steel Hairline</p> <p>Door Sill: Extruded Aluminum</p> <p>Landing Door: Stainless Steel Hairline</p> <p>Car Door: Stainless Steel (Lucerne)</p> <p>Front Wall Finishes: Stainless Steel (Lucerne)</p> <p>Rear Wall Finishes: Stainless Steel (Lucerne)</p> <p>Side Wal Finishes: Stainless Steel (Lucerne)</p> <p>Handrails: Wall provision (All sides)</p> <p>Cop Buttons: Touch sensitive</p> <p>Mirror: Rear - Full Height</p> <p>No. of Cop's /Location: 1/Side wall</p> <p>Platform Decoration: Artificial Granite-Black</p> <p>Car Ceilling Arrangement: Bracket Lighting</p> <p>Landing Door (Main Floor/s): Stainless Steel Hairline</p>	1.00	lot	5,000,000.00	P	P

ITEM NO.	DESCRIPTION/SPECIFICATIONS	QTY	UNIT	USTP APPROVED UNIT PRICE	UNIT PRICE	AMOUNT
	Landing Door (Typical Floor): Stainless Steel Hairline Landing Door Frame: 50mm x 50mm Box Fame Landing Operating Panel (LOP): Touch sensitive Landing Indicator Panel (LIP) - Main: Touch sensitive Landing Indicator Panel (LOP) - Typical: Touch sensitive Features Included in the Package: -Arrival Gong -Intercom -Attendant Control -Reservation / Independent Service -Imported Aluminum Pit Ladder -Emergency Power Evacuation Control with built-in battery -Fire Service -CCTV Interface -AVR w/ TVSS -Car Fan -RFID enabled					
	Scope of Works: Supply, Delivery, Installation and Commissioning of Elevator, Clearing and Corrections of Elevator Shaft, Civil Works and Electrical Works					
TOTAL:						P

Total Bid Price in Figure: _____

Total Bid Price in Words: _____

Name and Signature of Bidder: _____

All bid proposals must be sealed in envelopes properly labeled and submitted to this University on or before the deadline of submission of bids, **MARCH 30, 2020, 11:00 A.M.** at the Procurement Services, 2nd Level Gymnasium Lobby, University of Science and Technology of Southern Philippines, C.M. Recto Ave., Lapasan Cagayan de Oro City.

The University of Science and Technology of Southern Philippines assumes no responsibility whatsoever to compensate or indemnify bidders for any expenses incurred in the preparation of the bid. The USTsP neither assumes any obligation for whatsoever losses that the bidders may incur in the preparation on their bids nor guarantee that an award will be made.


ENGR. ALEX L. MAUREAL
 BAC Chairperson