



PURCHASE ORDER

PRN: USTP-GSPB-05-2022-1277-006

Enduser: Mr. Colbert G. Rabaya

Location of Project: USTP-Villanueva Campus

Supplier : HYTEC POWER, INC.	P.O. No. : 22-07-0976
Address : No.2 T. Cruz St. Cruzville Subdivision Zabarte Road, Novaliches, Quezon City, Metro Manila	Date : July 11, 2022
E-mail Address : bidding.dept@hytecpower.com	Mode of Procurement: Public Bidding
Telephone No. : (02) 3417 - 5435 / 0930 - 159 - 4180	
TIN : 229 - 283 - 188 - 000	
Purpose : Re-bidding of the Proposed Procurement for the Supply and Delivery of EMT Laboratory Equipment for USTP-Villanueva Campus	

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery : SUPPLY OFFICE, USTP-CDO Campus, Lapasan Misamis Oriental Contact Person for Delivery: Mr. Felix V. Saquilayan, Head Inspection Unit. Contact No. 0926-177-7499	Delivery Term :
Date of Delivery : Sixty (60) calendar days upon receipt of Notice to Proceed	Payment Term : Full Payment after acceptance of goods.

Stock No.	Unit	Description	Qty.	Unit Cost	Amount
19	pcs	ELECTRO-PNEUMATICS TRAINER SET Offer: FESTECH - Includes the following: 1. It is possible to logical analysis of electric circuit, design and wiring with electro-pneumatics training set which is included electric control for pneumatic sequence control. 2. The expansion and compatibility of this system was considered with a 4mm standard socket. Sensor protection circuit was integrated for the safety of the training set. 3. It uses standard aluminum profile for common use of all the training set. Each part could be horizontally or vertically attached and detached on the profile panel without any tools. Aluminum Profile Frame with Aluminum Bar Rack - Model: 11007 Features; Size: 1200(L)x750(W)x30(T)mm, Groove pitch: 25mm, Contents: Aluminum Panel Sliding Finish Air Service Unit - Model: 12101 Features; Pressure range: 0.5~12 bar, Air filter, pressure, regulator, lubricator, Shut off valve, Filter degree: 40µm. Connection plastic hose: Outside diameter 6mm, Flow rate: 750LPM Air Distributor - Model: 12201 Features; Pressure range: 0~10 bar, Input: 1ea (6mm), Output: 8ea, check connector included (4 mm), One-touch clamp mounting Single-acting cylinder - Model: 12210 Features; Pressure range 0~10 bar, Max. Pressure: 15 bar, Piston diameter: 25 mm, Stroke: 50 mm, Magnetic for sensor detection, One-touch clamp mounting Double-acting cylinder w/cushion/proximity switch - Model: 12215 Features; Pressure range: 0~10 bar, Max. Pressure: 15 bar, Electric Proximity switch: 2ea, Piston diameter: 25 mm, Stroke: 125 mm, Magnetic for Sensor detection, Adjustable cushion included, Hose size: outside diameter 4 mm, With 2 setsof one-touch clamp system T-connector - Model: 12280 Features; Pressure range: 0~10 bar, Hose size: outside diameter 4 mm One-way flow control, valve - Model: 12302 Features; Pressure range: 0~10 bar, with one-touch clamp system	1	768,000.00	768,000.00

TOTAL BROUGHT FORWARD P 768,000.00

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one (1) percent for every day of delay shall be imposed.

Checked and verified by:

MELANIE A. JALOVER
Head, Procurement Services
PR No. 202203-380

Very truly yours,

ATTY. DIONEL O. ALBINA
Chancellor, USTP CDO Campus

Conforme:

Signature Over Printed Name of Supplier
HYTEC POWER, INC.

Date

Funds Available:

Signature Over Printed Name of Chief Accountant/
Head of Accounting Division/Unit

BUR/Obr No. : **JAF 22- A-2787**
Amount : **₱ 768,000.00**

Com. 1 | 1 OG 05 990
5 02 09 20



PURCHASE ORDER

PRN: USTP-GSPB-05-2022-1277-006

Enduser: Mr. Colbert G. Rabaya
Location of Project: USTP-Villanueva Campus

Supplier	: HYTEC POWER, INC.	P.O. No.	: 22-07-0976
Address	: No.2 T. Cruz St. Cruzville Subdivision Zabarte Road, Novaliches, Quezon City, Metro Manila	Date	: July 11, 2022
E-mail Address	: bidding.dept@hytecpower.com	Mode of Procurement:	Public Bidding
Telephone No.	: (02) 3417 - 5435 / 0930 - 159 - 4180		
TIN	: 229 - 283 - 188 - 000		
Purpose	: Re-bidding of the Proposed Procurement for the Supply and Delivery of EMT Laboratory Equipment for USTP-Villanueva Campus		

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery	SUPPLY OFFICE, USTP-CDO Campus, Lapasan Misamis Oriental Contact Person for Delivery: Mr. Felix V. Saquilayan, Head Inspection Unit. Contact No. 0926-177-7499	Delivery Term	:
Date of Delivery	: Sixty (60) calendar days upon receipt of Notice to Proceed	Payment Term	: Full Payment after acceptance of goods.

Stock No.	Unit	Description	Qty.	Unit Cost	Amount
TOTAL CARRIED FORWARD					768,000.00
		3/2-way solenoid valve (Normally closed) – Model: 13010 Features; Pressure range: 0.5~10 bar, 24 Vdc Solenoid, Normally closed type valve, Spring return, LED and protection circuit included, Manual override, with one-touch clamp system Solenoid valve module – Model: 23046 Features; 5/2-way Single Solenoid Valve (3 units), 5/2-way Double Solenoid Valve (3 units), w/ Pneumatic Symbols, Shut-off Valve (1 unit), Solenoid terminals with 4mm bushing socket, with one-touch clamp system, 24 Vdc Solenoids Cylinder module – Model: 23047 Features; Double-acting cylinder (3 units), Reed sensors for detecting movement (6 pcs), Pneumatic Symbol, Plastic Cam, Reed switch terminals with 4mm bushing socket, with one-touch clamp system 5/2-way single solenoid valve – Model: 13012 Features; Pressure range: 0.5~10 bar, 24 Vdc Solenoid, LED and protection circuit included, Return: spring and pilot, Manual override, with one-touch clamp system 5/2-way double solenoid valve – Model: 13013 Features; Pressure range: 0.5~10 bar, 24 Vdc Solenoid (2), LED and protection circuit included, Manual override, with one-touch clamp system, Solenoid terminals with 4mm bushing socket 5/3-way solenoid valve (all blocked) – Model: 13014 Features; Pressure range: 0.5~10 bar, 24 Vdc Solenoid (2), LED and protection circuit included, Manual override, Solenoid terminals with 4mm bushing socket, with one-touch clamp system Input Switch Module – Model: 23028 Features; 4 Push-button switches, 2 Selector switches, 1 Emergency switch, 8 Toggle switches, 4 Digits Thumb wheel digital switch, 4mm socket terminals, DB-25 interface, Aluminum enclosure with one-touch clamp mounting Relay Unit (3 fold) – Model: 13030 Features; 3 Relay coils (24 Vdc), Contact load: Max. 5A, Allowable: Max. 120W, with 4 sets of change-over contacts each coil, 4mm Socket terminals, Aluminum enclosure with one-touch clamp mounting Digital Timer Relay – Model: 13031 Features; Power: DC 24V, Contact: 2a-2b, Contact load: Max. 5A, Allowable: Max. 100w, Delay time: 1~99 sec, On-delay Digital Timer, Off delay Digital Timer			
TOTAL BROUGHT FORWARD					P 768,000.00

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one (1) percent for every day of delay shall be imposed.

Checked and verified by:

MELANI A. JALOVER
Head, Procurement Services
PR No. 202203-380

Very truly yours,

ATTY. DIONEL O. ALBINA
Chancellor, USTP CDO Campus

Conforme:

ANN B. VILLANUEVA
BIDDING COORDINATOR
HYTEC POWER, INC.

Signature over Printed name of Supplier

JUL 21 2022
Date

Funds Available:

JANCRINECINA
Signature Over Printed Name of Chief Accountant/
Head of Accounting Division/Unit

BUR/Obr No. : **USTP D-A-227**
Amount : **₱ 1,070,000.00**



PURCHASE ORDER

PRN: USTP-GSPB-05-2022-1277-006

Enduser: Mr. Colbert G. Rabaya

Location of Project: USTP-Villanueva Campus

Supplier	: HYTEC POWER, INC.	P.O. No.	: 22-07-0976
Address	: No.2 T. Cruz St. Cruzville Subdivision Zabarte Road, Novaliches, Quezon City, Metro Manila	Date	: July 11, 2022
E-mail Address	: bidding.dept@hytecpower.com	Mode of Procurement:	Public Bidding
Telephone No.	: (02) 3417 - 5435 / 0930 - 159 - 4180		
TIN	: 229 - 283 - 188 - 000		
Purpose	: Re-bidding of the Proposed Procurement for the Supply and Delivery of EMT Laboratory Equipment for USTP-Villanueva Campus		

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery	SUPPLY OFFICE, USTP-CDO Campus, Lapasan Misamis Oriental Contact Person for Delivery: Mr. Felix V. Saquilayan, Head Inspection Unit. Contact No. 0926-177-7499	Delivery Term	:
Date of Delivery	: Sixty (60) calendar days upon receipt of Notice to Proceed	Payment Term	: Full Payment after acceptance of goods.

Stock No.	Unit	Description	Qty.	Unit Cost	Amount
			TOTAL CARRIED FORWARD		768,000.00
		Inductive Sensor - Model: 13040 Features; Operating voltage: DC10~30V, Sensing distance: 5 mm, Switching frequency: Max. 500Hz, Output: Normally open, PNP, Output current: Max. 200mA, Short-circuit protection included, Mounted on metal sensor receptacle with one-touch clamp mounting Capacitive Sensor - Model: 13041 Features; Switching power: DC10~30V, Sensing distance: 8mm, Response time: 1ms, Output: Normally open, PNP, Output current: Max. 200mA, Short-circuit protection included, Mounted on metal sensor receptacle with one-touch clamp mounting Optical Sensor - Model: 13042 Features; Switching power: DC10~30V, Switching distance: 100mm, Response time: 1ms, Output: normally open, PNP, Output current: Max. 200mA, Short-circuit protection included Optical Fiber Sensor - Model: 21112 Features; Optical: IR LED, Output: Normally open / normally closed, PNP, Response time: 1 ms, Power consumption: Max. 40 mA, Operating temperature: -10~+60 degrees celsius, Metal bracket mounted on one-touch clamp system, Terminals with 4 bushing socket Electrical limit switch (left) - Model: 13051 Features; Contact: DC 24V, 5Am, Contact: 1c, Switching frequency: Max, 200Hz, Roller lever electric switch Electrical limit switch (right) - Model: 13052 Features; Contact: DC 24V, 5A, Contact: 1c, Switching frequency: Max, 200Hz, Roller lever electric switch Pneumatic/Plastic Hose (1M) 4mm diameter - Model: 12290 Features; Operating temperature: -40°C~60°C, Color: blue, Size: outside diameter 4mm Pneumatic/Plastic Hose (1M) 6mm diameter - Model: 12292 Features; Operating temperature: -40°C~60°C, Color: blue, Size: outside diameter 4mm Hose Cutter - Model: 12291 Features; PVC Grip, Multi-purpose, Type: 190mm, Cutting material: Air Hose (0~16mm) Cable Set - Model: 13080 Features; Colors: red, blue, black, Length: 1500mm, 1000mm, 500mm, 300mm, 100mm, High elasticity and special coating			
TOTAL BROUGHT FORWARD					P 768,000.00

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one (1) percent for every day of delay shall be imposed.

Checked and verified by:

MELANIE A. JALOVER
Head, Procurement Services
PR No. 202203-380

Very truly yours,

ATTY. DIONEL O. ALBINA
Chancellor, USTP CDO Campus

Conforme:

ANN B. VILLALBA
BIDDING COORDINATOR
HYTEC POWER, INC.
Signature over Printed Name of Supplier

JUL 21 2022
Date

Funds Available:

JANICE C. TYCINA
Signature Over Printed Name of Chief Accountant/
Head of Accounting Division/Unit

BUR/Obr No. : **VF 21-07-2022**
Amount : **₱ 1,370,000.00**



PURCHASE ORDER

PRN: USTP-GSPB-05-2022-1277-006

Enduser: Mr. Colbert G. Rabaya

Location of Project: USTP-Villanueva Campus

Supplier	: HYTEC POWER, INC.	P.O. No.	: 22-07-0976
Address	: No.2 T. Cruz St. Cruzville Subdivision Zabarte Road, Novaliches, Quezon City, Metro Manila	Date	: July 11, 2022
E-mail Address	: bidding.dept@hytecpower.com	Mode of Procurement:	Public Bidding
Telephone No.	: (02) 3417 - 5435 / 0930 - 159 - 4180		
TIN	: 229 - 283 - 188 - 000		
Purpose	: Re-bidding of the Proposed Procurement for the Supply and Delivery of EMT Laboratory Equipment for USTP-Villanueva Campus		

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery	SUPPLY OFFICE, USTP-CDO Campus, Lapasan Misamis Oriental Contact Person for Delivery: Mr. Felix V. Saquilayan, Head Inspection Unit. Contact No. 0926-177-7499	Delivery Term	:
Date of Delivery	: Sixty (60) calendar days upon receipt of Notice to Proceed	Payment Term	: Full Payment after acceptance of goods.

Stock No.	Unit	Description	Qty.	Unit Cost	Amount
TOTAL CARRIED FORWARD					768,000.00
		Power Supply – Model: 13090 Features; Power: AC 220 V, 50/60 Hz, Output power: DC 24V, Output current: 5A Electro-pneumatics textbook – Model: 42052 Features; Fundamentals of electrical technology, Components in the electrical signal control section, Electrically actuated directional control valves Electro-pneumatics workbook (Advanced Level) – Model: 42046 Air Compressor			
22	pcs	PROGRAMMABLE LOGIC CONTROLLER TRAINER SET Offer: FESTECH Includes the following: Programmable Logic Controller Trainer – Model: 23151 Features; SIEMENS S7-1200 PLC, Digital Input: at least 14, Digital Output: at least 10, 4 mm Safety socket type I/O terminals, DB-25 Input and Output interface, Power switch, AC cord, Fuse holder with Fuse, Ethernet cable, TIA Portal Software, Aluminum enclosure with 2 sets of one-touch clamp system Push-button switch set module – Model: 13033 Features; Power : DC 24V, 2 sets Momentary push-buttons with pilot indicator, 1 set of Detent / Locking push-button with pilot indicator, 4 mm bushings for I/O terminals, Contact : 4-set each buttons (2 N.O. and 2 N.C.), Contact allowable : Max, 1A, Aluminum enclosure with 2 sets of one-touch clamp system Output Display Module – Model: 23029 Features; 2 Pilot lights, 8 LED lights, 1 Buzzer, 4 Digits Display (FND), 4mm bushings / terminal socket, DB-25 Interface, Aluminum enclosure with 2 sets of one-touch clamp mounting Optical Fiber Sensor – Model: 21112 Features; Output: Normally Open / Normally Closed, PNP, Power: 12~24 VDC +/- 10%, Metal bracket mounted on one-touch clamp mounting, Terminals with 4mm bushing socket Optic Fiber w/ a Separated bracket – Model: 21102 Features; Fiber cable diameter: 2.2 mm, Length: 2,000 mm, Allowed flexibility: >30mm, Minimum detection distance: 1 mm, Size: M4, Metal brackets mounted on one-touch clamp mounting	1	548,500.00	548,500.00
TOTAL BROUGHT FORWARD					P 1,316,500.00

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one (1) percent for every day of delay shall be imposed.

Checked and verified by:

MELANI A. JALOVER
Head, Procurement Services
PR No. 202203-380

Very truly yours,

ATTY. DIONEL O. ALBINA
Chancellor, USTP CDO Campus

Conforme:

Signature over printed name of Supplier

MARY ANN B. VILLALBA
BIDDING COORDINATOR
HYTEC POWER, INC.
Date: **JUL 21 2022**

Funds Available:

Signature Over Printed Name of Chief Accountant/
Head of Accounting Division/Unit

BUR/Obr No. : **VTF 22-07-2337**
Amount : **₱ 1,316,500.00**



PURCHASE ORDER

PRN: USTP-GSPB-05-2022-1277-006

Enduser: Mr. Colbert G. Rabaya

Location of Project: USTP-Villanueva Campus

Supplier	: HYTEC POWER, INC.	P.O. No.	: 22-07-0976
Address	: No.2 T. Cruz St. Cruzville Subdivision Zabarte Road, Novaliches, Quezon City, Metro Manila	Date	: July 11, 2022
E-mail Address	: bidding_dept@hytecpower.com	Mode of Procurement:	Public Bidding
Telephone No.	: (02) 3417 - 5435 / 0930 - 159 - 4180		
TIN	: 229 - 283 - 188 - 000		
Purpose	: Re-bidding of the Proposed Procurement for the Supply and Delivery of EMT Laboratory Equipment for USTP-Villanueva Campus		

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery	: SUPPLY OFFICE, USTP-CDO Campus, Lapasan Misamis Oriental Contact Person for Delivery: Mr. Felix V. Saquilayan, Head Inspection Unit. Contact No. 0926-177-7499	Delivery Term	:
Date of Delivery	: Sixty (60) calendar days upon receipt of Notice to Proceed	Payment Term	: Full Payment after acceptance of goods.

Stock No.	Unit	Description	Qty.	Unit Cost	Amount
TOTAL CARRIED FORWARD					1,316,500.00
		Optic Fiber w/ a bracket – Model: 21103 Features; Fiber cable diameter: 2.2 mm, Length: 2,000 mm, Allowed flexibility: >30mm, Minimum detection distance: 0.03 mm, Size: M6, Metal brackets mounted on one-touch clamp mounting PLC Manual and Exercises – Model: 31031 Features; fundamentals of electrical technology, Components in the electrical signal control section, Electrically actuated directional control valves			
		BASIC ARDUINO PACKAGE Offer: Arduino Starter Kit Multi-language Overview Quickly and easily get started with learning electronics using the ARDUINO Starter Kit, which have a universal appeal to STEM fans at home, businesses in STEAM industries, and school alike. No prior experience is required, as the kits introduce both coding and electronics through fun, engaging, and hands-on project. You can use the starter kit to teach students about current, voltage, and digital logic as well as the fundamentals of programming. There's an introduction to sensors and actuators and how to understand both digital and analog signals. Within all this, you'll be teaching students how to think critically, learn collaboratively, and solve problems: Projects you can make: 1) Get to know your tools an introduction to the basics 2) Spaceship interface design the control panel for your starship 3) Love-o-meter measure hwo hot-blooded you are 4) Colour Mixing Lamp produce any color with a lamp that uses light as an input 5) Mood Cue clue people in to how you're doing 6) Light Theremin create a musical instrument you play by waving your hands 7) Keyboard Instrument play music and make some noise with this keyboard 8) Digital Hourglass a light-up hourglass that can stop you from working too much 9) Motorized Pinwheel a colored wheel that will make your head spin	4	13,375.00	53,500.00
24	pcs				
TOTAL BROUGHT FORWARD					P 1,370,000.00

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one (1) percent for every day of delay shall be imposed.

Checked and verified by:

MELANIE A. JALOVER
Head, Procurement Services
PR No. 202203-380

Very truly yours,

ATTY. DIONEL O. ALBINA
Chancellor, USTP-CDO Campus

Conforme:

MAY ANN B. VILLALU
BIDDING COORDINATOR
HYTEC POWER, INC.
Signature Over Printed Name of Supplier
Date: **JUL 21 2022**

Funds Available:

JANICE VICINA
Signature Over Printed Name of Chief Accountant/
Head of Accounting Division/Unit

BUR/ObR No. : **VF 12-09-2709**
Amount : **₱ 1,370,000.00**



PURCHASE ORDER

PRN: USTP-GSPB-05-2022-1277-006
Enduser: Mr. Colbert G. Rabaya
Location of Project: USTP-Villanueva Campus

Supplier : HYTEC POWER, INC.	P.O. No. : 22-07-0976
Address : No.2 T. Cruz St. Cruzville Subdivision Zabarte Road, Novaliches, Quezon City, Metro Manila	Date : July 11, 2022
E-mail Address : bidding.dept@hytecpower.com	Mode of Procurement: Public Bidding
Telephone No. : (02) 3417 - 5435 / 0930 - 159 - 4180	
TIN : 229 - 283 - 188 - 000	
Purpose : Re-bidding of the Proposed Procurement for the Supply and Delivery of EMT Laboratory Equipment for USTP-Villanueva Campus	

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery : SUPPLY OFFICE, USTP-CDO Campus, Lapasan Misamis Oriental Contact Person for Delivery: Mr. Felix V. Saquilayan, Head Inspection Unit. Contact No. 0926-177-7499	Delivery Term :
Date of Delivery : Sixty (60) calendar days upon receipt of Notice to Proceed	Payment Term : Full Payment after acceptance of goods.

Stock No.	Unit	Description	Qty.	Unit Cost	Amount
TOTAL CARRIED FORWARD					1,370,000.00

		10) Zoetrope create mechanical animation you can play forward or reverse 11) Crystal Ball a mystical tour to answer all your tough questions 12) Knock lock tap out the secret code to open the door 13) Touchy-Feel Lamp a lamp that responds to your touch 14) Tweak the Arduino logo control your personal computer from your Arduino 15) Hacking buttons create a master control for all your devices! 3) Love-o-meter 4) Colour Mixing Lamp 5) Servo-motor Mood indicator 6) Light Theremin 7) Keyboard 8) Digital Hourglass 9) Motorised Pinwheel 10) Zoetrope 11) Magic 8-ball 12) Knock lock 13) Touch Sensor Lamp 14) Tweak the Arduino logo 15) Hacking buttons The Arduino Kit must composed of the following technical data: <ul style="list-style-type: none"> • 1 Project Book (170 pages), • 1 Arduino Uno, • 1 USB cable, • 1 Breadboard 400 joints, • 70 Solid core jumper wires, • 1 Easy to assemble wood base, • 1 9V battery snap, • 1 Stranded jumper wires (Black), • 1 Stranded jumper wires (Red), • 6 photoresistor, • 3 Potentiometer 10kOhms • 3 trimmer 10kOhms, • 10 pushbuttons, • 1 temperature sensor [TMP36], 			
TOTAL BROUGHT FORWARD					P 1,370,000.00

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one (1) percent for every day of delay shall be imposed.

Checked and verified by: **MELANIE A. JALOVER**
Head, Procurement Services
PR No. 202203-380

Very truly yours,
ATTY. DIOMEL O. ALBINA
Chancellor, USTP CDO Campus

Conforme: **MARY ANN B. VILLALBA**
BIDDING COORDINATOR
HYTEC POWER, INC.

Signature Over Printed Name of Supplier

Date

JUL 21 2022

Funds Available: **IANICE O. VILLALBA**
Signature Over Printed Name of Chief Accountant/
Head of Accounting Division/Unit

BUR/Obr No. : **VF 12-19-2277**
Amount : **₱ 1,370,000.00**



PURCHASE ORDER

PRN: USTP-GSPB-05-2022-1277-006

Enduser: Mr. Colbert G. Rabaya
Location of Project: USTP-Villanueva Campus

Supplier	: HYTEC POWER, INC.	P.O. No.	: 22-07-0976
Address	: No.2 T. Cruz St. Cruzville Subdivision Zabarte Road, Novaliches, Quezon City, Metro Manila	Date	: July 11, 2022
E-mail Address	: bidding_dept@hytecpower.com	Mode of Procurement:	Public Bidding
Telephone No.	: (02) 3417 - 5435 / 0930 - 159 - 4180		
TIN	: 229 - 283 - 188 - 000		
Purpose	: Re-bidding of the Proposed Procurement for the Supply and Delivery of EMT Laboratory Equipment for USTP-Villanueva Campus		

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery	SUPPLY OFFICE, USTP-CDO Campus, Lapasan Misamis Oriental Contact Person for Delivery: Mr. Felix V. Saquilayan, Head Inspection Unit. Contact No. 0926-177-7499	Delivery Term	:
Date of Delivery	: Sixty (60) calendar days upon receipt of Notice to Proceed	Payment Term	: Full Payment after acceptance of goods.

Stock No.	Unit	Description	Qty.	Unit Cost	Amount
		TOTAL CARRIED FORWARD			1,370,000.00
		<ul style="list-style-type: none"> • 1 tilt sensor, • 1 Alphanumeric LCD (16X2 characters), • 1 LED (Bright white), • 1 LED (RGB), • 8 LEDs (Red), • 8 LEDs (Green), • 8 LEDs (Yellow), • 3 LEDs (Blue), • 1 Small DC motor 6/9V, • 1 Small servo motor, • 1 Piezo capsule [PKM22EPP-40], • 1 H-bridge motor driver [L293D], • 1 Optocouplers [4N35], • 2 Mosfet transistors [IRF520], • 3 Capacitors 100uF, • 5 Diodes [1N4007], • 3 Transparent gels (red, green, blue), • 1 Male pins strip (40x1), • 20 Resistors 220 Ohms, • 5 Resistors 560 Ohms, • 5 Resistors 1 kOhms, • 5 Resistors 4.7 kOhms, • 20 Resistors 10 kOhms, • 5 Resistors 1 MOhms, • 5 Resistors 10 MOhms 			
		Nothing Follows			

GRAND TOTAL: ONE MILLION THREE HUNDRED SEVENTY THOUSAND PESOS AND 00/100 P 1,370,000.00

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one (1) percent for every day of

Checked and verified by:

MELANIE A. JALOVER
Head, Procurement Services
PR No. 202203-380

Very truly yours,

ATTY. DIONEL O. ALBINA
Chancellor, USTP CDO Campus

Conforme:

MARY ANN B. VILLALBA
BIDDING COORDINATOR
HYTEC POWER, INC.
Signature over printed name of Supplier

Date

Funds Available:

JANICE C. YECINA
Signature Over Printed Name of Chief Accountant/
Head of Accounting Division/Unit

BUR/Obr No. :
Amount : ₱ 1,370,000.00