



University of Science and Technology of Southern Philippines

Alubijid | Cagayan de Oro | Claveria | Jasaan | Oroquieta | Panaon


INVITATION /REQUEST FOR SUBMISSION OF PRICE QUOTATION
Posted in PhilGEPS Webstie/Conspicuous Place at the Procureing Entity

The University of Science & Technology of Southern Philippines, through the Bids and Awards Committee (BAC) hereby invites interested parties to submit quotation for the procurement of the following item:

Reference No	Qty.	Unit	Specification/Description	Budget for the Contract	Mode of Procurement
RFQ-NP-SVP-395-2021	Please see details below	Please see details below	Negotiated Procurement for the Acquire & Maintain Masonry, Automotive, Carpentry and SMAW Tools	₱201,054.00	Small Value Procurement-Section 53.9, Rule XVI, Revised IRR of RA 9184)

Deadline for the submission of quotation is on August 4, at 12:00 noon at the Procurement Unit, 2nd Floor, USTP Gymnasium building. You may submit your quotation through fax number 856-4696 / 856-1739 or through personal delivery in a sealed envelope.

The University of Science & Technology of Southern Philippines reserves the right to accept or reject any or all bids / price quotations, to annul the process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected bidder or bidders.


ATTY. KENNETH M. KEMPIS
BAC II Chairman



Date: July 30, 2021
Quotation No.: RFQ-NP-SVP-395-2021

Name of Project: Procurement for Acquire
& Maintain Masonry, Automotive,
Carpentry and SMAW Tools

The Manager

Cagayan de Oro City

Please quote your lowest price on the item/s listed below, subject to the general Conditions stated below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than August 4, 2021 at 12:00 noon. Please enclosed in a sealed envelope.


ATTY. KENNETH M. KEMPIS

BAC II Chairman

- NOTE:
1. DELIVERY PERIOD WITHIN 7 CALENDAR DAYS UPON RECEIPT OF PO.
 2. PRICE VALIDITY SHALL BE FOR A PERIOD OF 30 CALENDAR DAYS
 3. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED. (if applicable)
 4. THE USTP RESERVES THE RIGHT TO REJECT ANY OR ALL BIDS FOR ANY JUSTIFIABLE AND REASONABLE GROUND WHERE THE AWARD OF THE CONTRACT WILL NOT REDOUND TO THE BENEFIT OF THE GOP.
 5. REQUIREMENTS: 1) PHILGEPS REGISTRATION (PLATINUM MEMBERSHIP).

ITEM #	QTY	UNIT	DESCRIPTIONS AND SPECIFICATIONS	APPROVED UNIT COST (php)	UNIT PRICE
1	1	pc	AJJ32 Electric Shear (Rated Power Input (W): 620 Cutting Capacity – Mild Steel (mm): 3.2 Cutting Capacity – Stainless (mm): 2.5 Min. Cutting Radius (mm): 50 Rated Impacting Frequency (per minute): 1600)	2,500.00	
2	1	set	Masonry Hammer ((11.3 x 6.5 x 13 inches ; Brand;	3,000.00	
3	1	pc	4" Table Bench Vise Swivel Clamp Base with Anvil #0542 (Material: Cast iron(body), 45# steel(jaw) Jaw Opening Size: 4"(Optional) Weight: Approx. 4.5kg(4") Color: Blue (Due to lightning Effects Color contrast may vary))	2,000.00	
4	3	pc	Adjustable Wrench (Adjustable Wrench 12" Use for plumbing, automotive or home use Strong chrome vanadium steel exceed ANSI specifications Slip-resistant bi material cushion grip for comfort Handy hang/storage hole in handle)	800.00	
5	3	pc	Adjustable Wrench (Adjustable Wrench 12" Use for plumbing, automotive or home use Strong chrome vanadium steel exceed ANSI specifications Slip-resistant bi material cushion grip for comfort Handy hang/storage hole in handle)	600.00	
6	3	pcs	Ball peen hammer	300.00	
7	1	pc	Bench grinder (Input Power: 1/2HP Speed: 3450 MIN Wheel Size: 6 x 3/4 x 1/2 N.W. / G.W.: 10.5 / 11.5KG Packing Size: 395 x 210 x 265mm)	2,500.00	
8	1	pc	Bench Vise (Maximum jaw opening 6" Manufactured from die cast iron 360 degree locking swivel base Mounting clamp jaws open 4" max 6" table vice with anvil and swivel base Heat treated jaws measure 6")	2,000.00	
9	3	pcs	Bevel Square, try square	350.00	
10	2	set	Blocking Chisels ((7m x 150 mm x 17 mm	300.00	
11	2	set	GBM 10 RE Hand Drill ((Planing width: 82mm Planing depth: 1mm (Power: 450 Watts No-load speed: 0 - 2600 rpm Chuck capacity: 1 - 10 mm Drilling dia. in steel: 10 mm Drilling dia. in aluminium: 10 mm Drilling dia. in wood: 25 mm Drill spindle connecting thread: 3/8" – 24 UNF))	2,500.00	

12	2	set	GWS 6-100 S Angle Grinder (Rated power input 710 W (No-load speed 11000 rpm Grinding spindle thread M10 Disc diameter 100 mm Weight without cable 1.6 kg)	2,300.00	
13	2	set	#920 Hydraulic Floor Jack/ Crocodile Jack No. 920- 2T (No. 920-2T)	1,892.00	
14	2	set	#920 Hydraulic Floor Jack/ Crocodile Jack No. 920- 2T (No. 920-3T)	4,500.00	
15	5	pcs	Try Square ((12" Try Square (#491))	200.00	
16	3	pcs	Center punch	200.00	
17	3	pcs	Chipping Hammer	350.00	
18	3	pcs	Chisel (Hardened, tempered chrome carbon-steel blade for edge retention • Hardened, strike cap for durability • Blade lacquered fore corrosion protection • Ergonomically, designed bi-material handle for comfort and protection)	300.00	
19	5	pcs	Claw Hammer ((Fiberglass Handle)	440.00	
20	2	set	AMB82 Wood Planer ((Planing width: 82mm Planing depth: 1mm Rated Power: 500 W No-load Speed: 16,000 rpm Net Weight: 2.9 kg)	2,500.00	
21	3	pcs	Drift punch (This drift punch is made from a special polymer that will not shatter when struck with a hammer yet it has enough strength to move a dovetail front Sight. Specifications Material:POM Diameter:8mm Length:82mm Shape:round Color: white)	300.00	
22	1	pc	Drill press (Specifications of 13mm Drill Press(1/3hp), 100% Copper SKU1086180222_PH-3723604179Tool compatible with Surfaces:MetalDrill TypeDrill/DriverWarranty TypeLocal Supplier WarrantyWarranty Period3 Months)	3,000.00	
23	1	pc	Electrodes ((E6011) 5 kilos)	1,334.00	
24	1	pc	Electrodes ((E6013) 5 kilos)	1,334.00	
25	1	pc	Electrodes ((N6012) 5 kilos)	1,334.00	
26	1	set	Electronic Tools Set ("Sliding Tee 1/2sd x 10" Combination Wrench 6 - 19mm, Socket 1/2"nsd 8-24mm Spark plug socket 1/2" sd 16, 18, 21mm Universal Joints 1/2"sd., Ext. bar 1/2sd.x5", Folding hex key 1.5-8mm, Folding Torx key T9-T40 Groove joint plier 10", Blacksmith hammer 300g Combi Plier 7" DC Voltage tester max. 30V Screwdriver +2x100mm, +1x75mm, -3x100mm, -5.5x125mm, -8x175mm Sliding Tee 1/2sd x 10" Combination Wrench 6 - 19mm, Socket 1/2"nsd 8-24mm Spark plug socket 1/2" sd 16, 18, 21mm Universal Joints 1/2"sd., Ext. bar 1/2sd.x5", Folding hex key 1.5-8mm, Folding Torx key T9-T40 Groove joint plier 10", Blacksmith hammer 300g Combi Plier 7" DC Voltage tester max. 30V Screwdriver +2x100mm, +1x75mm, -3x100mm, -5.5x125mm, -8x175mm ")	10,000.00	
27	3	pcs	Framing square (HT0549 7" Aluminum Square Ruler Protractor Miter Framing Measurement Tool) (Made of Cast aluminum, integral forming process, strong and durable Stamping scale, durable and wear resistant Light and convenient and durable Use: multi-functional engineering supplies, woodworking tools Specifications: Material: aluminum alloy Product size: 18.5 x 18.5 x 2.2cm/7.28 x 7.28 x 0.87" Weight: 200g Triangle Protractor)	300.00	

Handwritten signature

28	1	pc	Hand Drill (BTools 155 PCS Lithium Electric Drill Cordless Drill Driver DC 12V Double-Speed with Li-Ion Batteries and Accessories Kit Set Cordless Screwdriver Power Tools Hand Tool Set Repair Household Toolbox Multifunctional Electrician Hardware Carpentry Car Material: PC+Stainless Steel Color: Picture Weight: 4.4kg Size: 43.7x32x11.7cm Operating Voltage: 12 V Drilling Diameter: 0.8~10 mm Application: Multi-purpose Advantage: High Quantity Electric Drill Tool Set is handle electric tool with driven by the series generation.)	3,000.00	
29	3	pcs	Head Protection	130.00	
30	3	pcs	Hearing protection	150.00	
31	3	set	8 IN 1 Screwdriver Set 241408 •BUILDMATE• (HOTECHÉ 8 IN 1 Screwdriver Set 241408 •BUILDMATE•SPECIFICATIONS: ►8 IN 1 Screwdriver Set ►Material:CR-V ►Satin finished ►PP+TPR handle ►SL6x60mm,SL5x60mm,SL3x60mm,PH0x60mm,PH1x60mm,PH2x60mm ►1PC tack puller:5X60mm ►1PC scratch AWL:3X60mm)	320.00	
32	3	pcs	Cable Cutter 10" 140603 (HOTECHÉ Cable Cutter 10" 140603 •BUILDMATE•SPECIFICATIONS: ►10" ►250mm ►Bi-color dipped handle)	300.00	
33	1	set	CS8250G Compound Miter Saw ((Power 1650 W Blade Diameter 255 mm Max Cross Cut - 90 Degrees 162 mm Max Bevel Cross Cut 45 Degrees 58 mm No Load Speed 6,000 rpm Net Weight 13.8 kg)	6,000.00	
34	3	pcs	Leather Welding Jacket	453.00	
35	1	set	SH-121 Router Bit Set (12pcs) (Straight Bit: 6mm, 12mm, 18mm Flush Trim Bit: 12.7mm V-Groove: 12.7mm Roman Ogee: Dia-25.4mm R- 4mm Corner Round Bit: Dia- 28.6mm R- 9.5mm / Dia-22mm R- 6.3mm Cove Bit with Bearing: Dia-22mm R-6.3mm Cove Bit: Dia-12.7mm R-6.3mm Dovetail: Dia- 12.7 Angle: 14° Chamfer Bit: Dia - 32mm Angle- 45°	600.00	
36	2	set	4326M Fixed Speed Jigsaw ((Continuous rating Input: 450W Capacity: Wood : 40mm (1-9/16") / Steel : 6mm (1/4") Length of stroke: 18mm (11/16") Strokes per minute (spm): 3,100 Net Weight: 1.8kg (4.0lbs) Compatible Carbon brush: #64	2,700.00	
37	5	set	D-54097 HSS-R Metal Drill Bit Set 25 pcs. ((Sizes included Ø - 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10mm Point Angle - 118° Standards - DIN 338 Bit Geometry - Standard Twist Bit)	1,100.00	
38	2	set	Masonry Hand Saw ((2 1/2 tft and 18 mm (1-1/stpi)	700.00	
39	2	set	Masonry Power Saw ((1400 w, 13200 rpm, 2.9 kg;	3,929.00	
40	2	set	Masons Level Plumb Line ((8ox Brass Plumb Bub;	1,375.00	
41	2	set	Masons's Level Line ((48 x 2 x 3 inches;	371.00	
42	3	pcs	Pair of leather boots	250.00	
43	3	pcs	Pair of Safety Glasses	120.00	
44	3	pcs	Pair of Welding Gloves	200.00	
45	1	pc	Pedestal buffer	2,000.00	
46	1	pc	(Material: metal and plastic Weight (total): 3.1 kg Weight (grinding machine): 2.8 kg Width (box): 22 cm Length (box): 23.5 cm Thick (box): 17.5 cm)	3,500.00	

Hand

47	5	pcs	Aluminum Level Bar ((36"	500.00	
48	2	set	Screwdrivers ((All forms;	2,800.00	
49	3	set	Shovel ((60 in x8.85 in x 6. 58 lbs)	900.00	
50	5	pc	Sledge hammer (8 Pounds 80 cm length Fiberglass handle Genuine Taiwan Quality REDUCES HAND FATIGUE: With its FIBERGLASS HANDLE, S-Ks Tools USA Sledge Hammer offers you better durability and a lightweight body to help you handle it with less effort and gives you greater, maximum force. FORGED STEELHEAD: Made with a forged steel head for durability and rust and corrosion resistance for a long term use STRONG FORCE: The product is perfectly balanced to deliver powerful blows with an easy swing ERGONOMIC: Built with an ergonomic handle for an easier, comfier, and stronger grip)	500.00	
51	2	pc	Soap Stone or Scribe (Material: Aluminum Color: Silver Soapstone Holder Length: About 120mm Refills Size(LxW): About 125x12mm)	300.00	
52	3	pc	Adjustable Wrench 10" (87-433) (10" (87-433))	210.00	
53	3	pc	Adjustable Wrench 12" (87-433) (12" (87-433))	210.00	
54	3	pc	Adjustable Wrench 15" (87-434) (15" (87-434))	210.00	
55	3	pc	Adjustable Wrench 15" (87-435) (15" (87-435))	210.00	
56	3	pc	Adjustable Wrench 18" (87-436) (18" (87-436))	210.00	
57	3	pc	Adjustable Wrench 6" (87-431) (6" (87-431))	210.00	
58	3	pc	Adjustable Wrench 8" (87-432) (8" (87-432))	210.00	
59	1	pc	Box Wrench Chrome Vanadium (3/8" to 1")	900.00	
60	1	pc	Box Wrench Chrome Vanadium 6mm to 27mm 10 (6mm to 27mm 10)	2,340.00	
61	3	pcs	Combination Plier 7" or 8" 84-035 84-029 (Gripping combined with cutting, known as side cutting pliers Used for cutting as well as bending and twisting wire and as fish tape puller Available in: 7 or 8 inches Made popular by electricians Material: Metal)	300.00	
62	5	pcs	Crosscut PVC Handsaw ((18" (20-080)	400.00	
63	3	pcs	Flat File (A flat file tapered in width and thickness for general material removal. Features & Benefits Single-Cut Mill Pattern For Light Removal Of Material Bastard Teeth Spacing For General-Purpose Tool Sharpening And Material Smoothing)	250.00	
64	3	pcs	(Adjustable to 8", 10" & 12" blades • Comfort pistol grip handle with patented pattern for better grip and control. • Allows positioning of the blade at 90° for more versatility. • 101.6mm (4") throat depth)	350.00	
65	5	set	Interchangeable Screw Driver ((9-Way (62-511-22))	500.00	
66	3	pcs	Level 18" #42-073 (Durable yet lightweight aluminium construction End caps to prevent denting Top read centre vial for instant readability Specifications of Stanley Level 18" #42-073 BrandStanleySKU243563800_PH-331806638Model42-073)	350.00	
67	5	pcs	Maxsteel C-Clamp (8 inch	1,000.00	

Paul

68	3	pcs	MAXSTEEL C-CLAMP 4" (83-034) (Has an advanced frame design to resist flexing and bending High-visibility corrosion resistant finish Made from a heavy-duty malleable iron and steel construction Roll-formed screw threads to ensure smooth operation and durability Oversized T-handle for extra torque Size: 100mm (4in) Throat Depth: 75 Clamping Capacity(mm): 100 Clamping Capacity(inches): 4 Clamping Force: 680)	700.00	
69	4	pc	Open Wrench Chrome Vanadium (6mm x 7mm (87-096))	85.00	
70	2	pc	Open Wrench Chrome Vanadium (8mm x 9mm (87-097))	105.00	
71	2	pc	Open Wrench Chrome Vanadium (10mm x 11mm (87-098))	105.00	
72	2	pc	Open Wrench Chrome Vanadium (12mm x 13mm (87-099))	120.00	
73	2	pc	Open Wrench Chrome Vanadium (12mm x 13mm (87-100))	140.00	
74	2	pc	Open Wrench Chrome Vanadium (16mm x 17mm (87-101))	160.00	
75	2	pc	Open Wrench Chrome Vanadium (18mm x 19mm (87-102))	175.00	
76	2	pc	Open Wrench Chrome Vanadium (20mm x 22mm (87-103))	195.00	
77	2	pc	Open Wrench Chrome Vanadium (20mm x 22mm (87-104))	215.00	
78	2	pc	Open Wrench Chrome Vanadium (24mm x 27mm (87-105))	315.00	
79	2	pc	Open Wrench Chrome Vanadium (25mm x 28mm (87-106))	360.00	
80	2	pc	Open Wrench Chrome Vanadium (30mm x 32mm (87-107))	440.00	
81	3	pc	Straight Jaw Locking Pliers Vise Grip 10 84-371-1 (STANLEY Straight Jaw Locking Pliers Vise Grip 10" 254mm 84-371-1 SPECIFICATIONS: ►Exceeds Federal and ASME Specs ►Made from chrome molybdenum steel for maximum performance ►Bi-material , Non slip ergonomic handle ►Straight jaw with maximum contact area ►Micro adjusting screw and pressure washer)	700.00	
82	3	pcs	Wood Chisel ((1/4 inch)	300.00	
83	3	pcs	Wood Chisel ((3/8 inch)	300.00	
84	3	pcs	Wood Chisel ((1/2 inch)	300.00	
85	3	pcs	Wood Chisel ((5/8 inch)	300.00	
86	3	pcs	Wood Chisel ((3/4 inch)	300.00	
87	3	pcs	Wood Chisel ((1 inch)	350.00	
88	3	pcs	Wood Chisel ((1 1/4 inch)	350.00	

Sub

89	5	pcs	Wood Chisel ((1 1/2 inch)	350.00	
90	2	set	Straight Edges ((16 ft x 1314 inx 14 inch)	2,000.00	
91	5	pcs	Tape Measure ((8 meters;	310.00	
92	3	pc	Industrial Cup Wire Brush with Nut (75mm - M14) 77501 (CERTIFIED ORIGINAL. Attach it to your tool (grinder / sander) and scrape iron rust etc. brass Size (OD): 75 mm Wire dia:0.5mm Packing: color box)	300.00	
93	3	pcs	Soft Type Rubber Mallet (450g / 16OZ) Fiberglass Handle 25175 (CERTIFIED ORIGINAL Size:16oz/450g Natural rubber, Soft Type Fiberglass handle Packing: color label)	433.00	
94	2	set	Trowel ((15.2x5x4 inches	500.00	
95	2	pc	Vernier Caliper (Specifications of 100mm 150mm Digital Vernier Caliper Inch and Millimeter Conversion Measuring Tool with LCD Screen)	150.00	
96	1	set	1/4HP Air Compressor Belt Driven ((Motor: 1/4 hp No. of Cylinder: 1 Phase: 1 Pressure: 70 psi Capacity: 36 liters)	6,000.00	
97	3	pcs	Welding Helmet	600.00	
98	3	pcs	Welding Sleeves	250.00	
99	3	pc	Wing divider (Material: Carbon Steel - Capacity (the max dimensions can be measured): - 100mm/ 4inches; - 125mm/ 5inches; - 150mm/ 6inches Package Includes: 1 Piece Spring Divider)	500.00	
100	3	set	ZKK-3612RR Plunge Router. ((Continuous rating Input: 1,600W Capacity: Collet : 1/2" Plunge capacity: 0 - 65mm (0 - 2-9/16") Base dia.: 160mm (6-1/4") No load speed (rpm): 23,000 Overall height: 287mm (11-1/4") Net Weight: 5.5kg (12.0lbs)	5,000.00	

Price Validity:

After having carefully read and accepted for General Conditions, I/We quote on the item at prices

noted above.

Clarín-Carpentry
RFQ-NP-SVP-395-2021
Resolution No. 453 s. 2021.
PR No.-202105-324 *KB*

Tel. #/address/e-mail add

Date

C.M. Recto Avenue, Lapasan, Cagayan de Oro City 9000 Philippines, Tel. Nos. +63 (88) 856 1738; Telefax +63 (88) 856 4696 | www.ustp.edu.ph

Clarín