



University of Science and Technology of Southern Philippines

Alubijid | Cagayan de Oro | Claveria | Jasaan | Oroquieta | Panaon

INVITATION /REQUEST FOR SUBMISSION OF PRICE QUOTATION
Posted in PhilGEPS Website/Conspicuous Place at the Procuring Entity

The University of Science & Technology of Southern Philippines, through the Bids and Awards Committee (BAC) hereby invites interested parties to submit quotation for the procurement of the following item:

Reference No	Qty.	Unit	Specification/Description	Budget for the Contract	Mode of Procurement
RFQ-NP-SVP-474-2021	Please see details below	Please see details below	Negotiated Procurement for the Equipment for Biogas Production	₱73,097.00	Small Value Procurement-Section 53.9, Rule XVI, Revised IRR of RA 9184)

Deadline for the submission of quotation is on August 31, 2021 at 12:00 noon at the Procurement Unit, 2nd Floor, USTP Gymnasium building. You may submit your quotation through fax number 856-4696 / 856-1739 or through personal delivery in a sealed envelope.

The University of Science & Technology of Southern Philippines reserves the right to accept or reject any or all bids / price quotations, to annul the process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected bidder or bidders.


ATTY. KENNETH M. KEMPIS
BAC II Chairman



University of Science and Technology of Southern Philippines

Alubijid | Cagayan de Oro | Claveria | Jasaan | Oroquieta | Panaon

Date: August 25, 2021

Quotation No.: RFQ-NP-SVP-474-2021

Name of Project: Procurement for the Equipment for Biogas Production

The Manager

Cagayan de Oro City

Please quote your lowest price on the item/s listed below, subject to the general Conditions stated below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than August 31, 2021 at 12:00 noon. Please enclosed in a sealed envelope.

Signature of Atty. Kenneth M. Kempis, BAC II Chairman

- NOTE: 1. DELIVERY PERIOD WITHIN 7 CALENDAR DAYS UPON RECEIPT OF PO. 2. PRICE VALIDITY SHALL BE FOR A PERIOD OF 30 CALENDAR DAYS 3. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED. (if applicable) 4. THE USTP RESERVES THE RIGHT TO REJECT ANY OR ALL BIDS FOR ANY JUSTIFIABLE AND REASONABLE GROUND WHERE THE AWARD OF THE CONTRACT WILL NOT REDOUND TO THE BENEFIT OF THE GOP. 5. REQUIREMENTS: 1) PHILGEPS REGISTRATION (PLATINUM MEMBERSHIP).

Table with 5 columns: ITEM #, QTY, UNIT, DESCRIPTIONS AND SPECIFICATIONS, APPROVED UNIT COST (php), UNIT PRICE. Contains 7 rows of item specifications and pricing.

8	1	unit	Red Lion PXU Panel Mount PID Temperature Controller, 48 x 48mm, 1 Output Linear, 100 → 240 V ac Supply Voltage (Stock No.: 905-5740 Output Type Linear Supply Voltage 100 → 240 V ac Size 48 x 48mm Number of Outputs 1 Minimum Operating Temperature 0°C Maximum Operating Temperature +50°C Control Type PID Function Only Communication Module Available Yes Display Type LCD IP Rating IP65 Termination Type Screw Input Type RTD, Thermocouple Display Colour Orange/Green Mounting Type Panel Mount Series PXU Panel Depth 3.14mm)	7,171.00	
9	1	unit	RS-91 Hygrometer, Max Humidity 100%RH (Stock No.: 155-8900 Hygrometer Type: Digital Hygrometer Maximum Humidity Measurement: 100%RH Best Temperature Measurement Accuracy: ±0.5 °C Temperature Measurement Resolution: 0.1°C Best Humidity Measurement Accuracy: ±3 %RH Humidity Measurement Resolution: 0.1%RH Interface Type Bluetooth: Power Source: Battery Battery Type: 9V Maximum Operating Temperature: +50°C Weight: 172g Model Number: p RS-91 Minimum Operating Temperature: 0°C)	3,250.00	
10	1	unit	Testo 549 Gauge Digital Pressure Meter With 1 Pressure Port/s, Max Pressure Measurement 60bar (Stock No.: 201-2155 Mfr. Part No.: 0560 2549 02 Best Accuracy 0.5 % Number of Pressure Ports 1 Maximum Pressure Measurement 60bar Minimum Pressure Measurement -1bar Pressure Port Type Gauge Model Number p 549)	4,930.00	
11	1	unit	Xylem Flojet Diaphragm Air Operated Positive Displacement Pump, 19L/min, 8.27 bar (Stock No.: 667-9116 Maximum Fluid temperature is 49°C Patented shuttle valve eliminates stalling Run dry capability Self-primers up to 4.5m Capable of passing solids up to 3.2mm diameter Corrosion-resistant materials capable of handling a wide range of chemicals Other elastomers available Large exhaust silencer Ease of Installation with all quick disconnect ports Other port sizes are available)	13,050.00	

Price Validity:

After having carefully read and accepted for General Conditions, I/We quote on the item at prices

noted above.

Magomang-Sensor
RFQ-NP-SVP-473-2021
Resolution No. 548 s. 2021
PR No.-202108-528

Tel. #/address/e-mail add

Date

C.M. Recto Avenue, Lapasan, Cagayan de Oro City 9000 Philippines, Tel. Nos. +63 (88) 856 1738; Telefax +63 (88) 856 4696 | www.ustp.edu.ph